Neuroscience Research, 2 (1985) 497–499
Elsevier Scientific Publishers Ireland Ltd.

Author Index

A

Akaike, N. and Oyama, Y., Contribution of restricted extracellular space to the inactivation of calcium current in the snail neuron, 181
Akimoto, S., see Fukuda, J., 460
Aragonés, M.D., see Catalán, R.E., 201
Arai, H., Kobayashi, K., Ichimiya, Y., Kosaka, K. and Iizuka, R., Free amino acids in post-mortem cerebral cortices from patients with Alzheimer-type dementia, 486
Arai, Y., see Matsumoto, A., 412
Arikuni, T. and Kubota, K., Claustral and amygdaloid afferents to the head of the caudate nucleus in macaque monkeys, 239
Arimatsu, Y., Kondo, S. and Kojima, M., Enhancement by estrogen treatment of α-bungarotoxin binding in fetal mouse amygdala cells reaggregated in vitro, 211
Asou, H., Mutou, N. and Hirano, S., Localization of ganglioside GM1 on myelin, in dissociated cells from rat embryonic cerebral hemispheres, using biotinylated choleragen and avidin peroxidase, 399
Atsumi, S. and Ohsato, K., Synaptology of α-motoneurons in the chicken spinal cord, 77

B

Bando, T., Pupillary constriction evoked from the posterior medial lateral suprasylvian (PMLS) area in cats, 472

C

Catalán, R.E., Martínez, A.M., Aragonés, M.D. and Godoy, J.E., Actions of somatostatin on lipid metabolism in mouse cerebral cortex slices, 201

E

Ezra, D., see Feuerstein, G., 121

F

Faden, A.I., see Feuerstein, G., 121
Feuerstein, G., Lux, W.E., Jr., Ezra, D. and Faden, A.I., Reversal of leukotriene D_4 hypotension by thyrotropin-releasing hormone, 121
Fujito, Y., Watanabe, S., Kobayashi, H. and Tsukahara, N., Promotion of sprouting and synaptogenesis of cerebrofugal fibers by ganglioside application in the red nucleus, 407
Fukuda, J., Yamaguchi, K., Akimoto, S. and Tada, Y., NGF-dependent and -independent growth of neurites from sympathetic ganglion cells of the aged human in a serum-free culture, 460
Fukuda, M., see Ono, T., 221
Fukushima, K., Kudo, J., Takahashi, K. and Kato, M., Effects of lesion of the interstitial nucleus of Cajal on vestibular horizontal canal neurons in the cat, 287
Furuya, K., see Saito, M., 297
Futami, T., see Shinoda, Y., 133
Futami, T., see Shinoda, Y., 157

G

Godoy, J.E., see Catalán, R.E., 201
Goto, K., see Kimura, S., 97
Gundersen, C.B., see Parker, I., 491

H

Hagino, N., see Sugiyama, H., 387
Hamamura, M., Shibuki, K. and Yagi, K., Noxious inputs to supraoptic neurosecretory cells in the rat, 49
Heggelund, P., see Kasamatsu, T., 365
Hirano, S., see Asou, H., 399
Hirayama, H., see Kato, M., 27
Homma, S., see Kuno, M., 275

I

Ichikawa, K., Models for transmitter activation process in retinal rod outer segments to flash stimuli, 349

Ichimiya, Y., see Arai, H., 486
Iizuka, R., see Arai, H., 486
Ito, S., see Ogawa, H., 447

K

Kanazawa, I., Ogawa, T., Kimura, S. and Munekata, E., Regional distribution of substance P, neurokinin α and neurokinin β in rat central nervous system, 111
Kanazawa, I., see Kimura, S., 97
Kanazawa, I., see Matsuto, T., 105
Kano, M., see Shinoda, Y., 133
Kano, M., see Shinoda, Y., 157
Kasamatsu, T., Watabe, K., Heggelund, P. and Schöller, E., Plasticity in cat visual cortex restored by electrical stimulation of the locus coeruleus, 365
Kato, M., Murakami, S., Yasuda, K. and Hirayama, H., Disruption of fore- and hindlimb coordination during overground locomotion in cats with bilateral serial hemisection of the spinal cord, 27
Kato, M., see Fukushima, K., 287
Kato, T., see Okada, M., 421
Kawaguchi, Y., Two groups of secondary vestibular neurons mediating horizontal canal signals, probably to the ipsilateral medial rectus muscle, under inhibitory influences from the cerebellar flocculus in rabbits, 434
Kawai, N., see Saito, M., 297
Kawamura, S., see Matsuyama, T., 335
Kimura, M., see Maekawa, K., 1
Kimura, S., Goto, K., Ogawa, T., Sugita, Y. and Kanazawa, I., Pharmacological characterization of novel mammalian tachykinins, neurokinin α and neurokinin β, 97
Kimura, S., see Kanazawa, I., 111
Kobayashi, H., see Fujito, Y., 407
Kobayashi, K., see Arai, H., 486
Koike, H. and Matsumoto, H., Fast axonal transport of membrane protein and intra-axonal diffusion of free leucine in a neuron of *Aplysia*, 281
Kojima, M., see Arimatsu, Y., 211
Kondo, S., see Arimatsu, Y., 211
Kosaka, K., see Arai, H., 486
Kubota, K., see Arikuni, T., 239
Kudo, J., see Fukushima, K., 287
Kuno, M., Miyata, Y., Homma, S. and Ogawa, M., Nerve growth factor enhances central synaptic function of Ia sensory neurons, 275

L

Lee, J.W., see Sugiyama, H., 387
Luiten, P.G.M., see Ono, T., 221
Lux, W.E., Jr., see Feuerstein, G., 121

M

Maekawa, K., Takeda, T. and Kimura, M., Responses of the nucleus of the optic tract neurons projecting to the nucleus reticularis tegmenti pontis upon optokinetic stimulation in the rabbit, 1
Maekawa, K., see Takeda, T., 125
Martínez, A.M., see Catalán, R.E., 201
Matsukawa, K. and Udo, M., Responses of cerebellar Purkinje cells to mechanical perturbations during locomotion of decerebrate cats, 393
Matsumoto, A., Arai, Y. and Osanai, M., Estrogen stimulates neuronal plasticity in the deafferented hypothalamic arcuate nucleus in aged female rats, 412
Matsumoto, H., see Koike, H., 281
Matsumura, M., see Sawaguchi, T., 255
Matsuto, T., Yanagisawa, M., Otsuka, M., Kanazawa, I. and Munekata, E., The excitatory action of the newly-discovered mammalian tachykinins, neurokinin α and neurokinin β, on neurons of the isolated spinal cord of the newborn rat, 105
Matsuyama, T. and Kawamura, S., Cytoarchitectonic coincidence with the discontinuous connectional pattern in the deep layers of the superior colliculus in the rat, 335
Miledi, R., see Parker, I., 491
Miwa, A., see Saito, M., 297
Miyata, Y., see Kuno, M., 275
Moore, G., see Sugiyama, H., 387
Munekata, E., see Matsuto, T., 105
Munekata, E., see Kanazawa, I., 111
Murakami, S., see Kato, M., 27
Mutou, N., see Asou, H., 399

N

Nishijo, H., see Ono, T., 221
Nishino, H., see Ono, T., 221
Nomura, T., see Ogawa, H., 447

O

Ogasawara, K., Neural pathways mediating the corneal blink reflex and Bell's phenomenon in the cat, 309
Ogawa, H., Ito, S. and Nomura, T., Two distinct projection areas from tongue nerves in the frontal operculum of macaque monkeys as revealed with evoked potential mapping, 447
Ogawa, M., see Kuno, M., 275
Ogawa, T., see Kimura, S., 97
Ogawa, T., see Kanazawa, I., 111
Ohsato, K., see Atsumi, S., 77
Oka, H., Yoshida, K., Yamamoto, T. and Samejima, A., Organization of afferent connections to the lateral and interpositus cerebellar nuclei from the brainstem relay nuclei: a horseradish peroxidase study in the cat, 321
Okada, M. and Kato, T., Peptidase-containing neurons in rat striatum, 421
Ono, T., Luiten, P.G.M.., Nishijo, H., Fukuda, M. and Nishino, H., Topographic organization of projections from the amygdala to the hypothalamus of the rat, 221
Osanai, M., see Matsumoto, A., 412
Otani, K., see Sugita, S., 189
Otsuka, M., see Matsuto, T., 105
Oyama, Y., see Akaike, N., 181

P

Parker, I., Gundersen, C.B. and Miledi, R., Intracellular Ca^{2+}-dependent and Ca^{2+}-independent responses of rat brain serotonin receptors transplanted to *Xenopus* oocytes, 491

S

Saito, M., Kawai, N., Miwa, A., Yamagishi, S. and Furuya, K., Evidence for L-glutamate as the neurotransmitter of the squid giant synapse, 297
Samejima, A., see Oka, H., 321
Satoh, T., see Watabe, K., 205
Sawaguchi, T. and Matsumura, M., Laminar distributions of neurons sensitive to acetylcholine, noradrenaline and dopamine in the dorsolateral prefrontal cortex of the monkey, 255
Schöller, E., see Kasamatsu, T., 365
Shibuki, K., see Hamamura, M., 49
Shinba, T., see Watabe, K., 205
Shinoda, Y., Kano, M. and Futami, T., Synaptic organization of the cerebello-thalamo-cerebral pathway in the cat. I. Projection of individual cerebellar nuclei to single pyramidal tract neurons in areas 4 and 6, 133
Shinoda, Y., Futami, T. and Kano, M., Synaptic organization of the cerebello-thalamo-cerebral pathway in the cat. II. Input–output organization of single thalamocortical neurons in the ventrolateral thalamus, 157
Shinozaki, H., Quantitative analysis of drug-induced tremor in mice, 49
Sugita, S., Tokunaga, A., Otani, K. and Terasawa, K., Ascending projections to the lateral thalamic nuclei from the substantia grisea centralis in the rat: retrograde WGA-HRP study, 189
Sugita, Y., see Kimura, S., 97
Sugiyama, H., Hagino, N., Moore, G. and Lee, J.W., [^{3}H] Nicotine binding sites in developing fetal brains in rats, 387

T

Tada, Y., see Fukuda, J., 460
Takahashi, K., see Fukushima, K., 287
Takeda, T. and Maekawa, K., Collateralized projection of visual climbing fibers to the flocculus and nodulus of the rabbit, 125
Takeda, T., see Maekawa, K., 1
Terasawa, K., see Sugita, S., 189
Tokunaga, A., see Sugita, S., 189
Tsukahara, N., see Fujito, Y., 407

U

Udo, M., see Matsukawa, K., 393

W

Watabe, K., Shinba, T. and Satoh, T., Two types of rostroventral medulla neurons projecting to the trigeminal spinal nucleus as differentiated by the response to antidromic activation and the histological location, 205
Watabe, K., see Kasamatsu, T., 365
Watanabe, S., see Fujito, Y., 407

Y

Yagi, K., see Hamamura, M., 49
Yamagishi, S., see Saito, M., 297
Yamaguchi, K., see Fukuda, J., 460
Yamamoto, T., see Oka, H., 321
Yanagisawa, M., see Matsuto, T., 105
Yasuda, K., see Kato, M., 27
Yoshida, K., see Oka, H., 321

Neuroscience Research, 2 (1985) 500–508
Elsevier Scientific Publishers Ireland Ltd.

Key Word Index

A

Acetylcholine
noradrenaline; dopamine; iontophoresis; monkey prefrontal cortex; laminar distribution, 255

Acetylcholine receptor
nicotine; α-bungarotoxin; central nervous system; fetal development; fetal brain, 387

Activation of locus coeruleus
neuronal plasticity; cat visual cortex, 365

Afferent connections
brainstem nuclei; cerebellar nuclei; horseradish peroxidase; cat, 321

Aged human neurons
tissue culture; serum-free culture; sympathetic ganglion; nerve growth factor; neurite growth, 460

Aging
arcuate nucleus; hypothalamic deafferentation; synaptic plasticity; estrogen; rat, 412

Aggregation culture
sexual differentiation; α-bungarotoxin binding; amygdala; estradiol, 211

Albino rat
laterodorsal thalamic nucleus; lateroposterior thalamic nucleus; substantia grisea centralis; WGA-HRP, 189

Alzheimer's disease
free amino acid; post-mortem brain; senile dementia, 486

Aminopeptidase
angiotensin-converting enzyme; prolyl endopeptidase; striatonigral pathway; knife cuts, 421

Amygdala
hypothalamus; topographic organization; horseradish peroxidase, 221
estradiol; aggregation culture, sexual differentiation; α-bungarotoxin binding, 211

primates; caudate nucleus; claustrum; insular cortex, 239

Anaphylaxis
leukotrienes; TRH; shock, 121

Angiotensin-converting enzyme
prolyl endopeptidase; aminopeptidase; striatonigral pathway; knife cuts, 421

Aplysia
fast axonal transport; intra-axonal diffusion; membrane protein; leucine; local cooling, 281

Arcuate nucleus
aging; hypothalamic deafferentation; synaptic plasticity; estrogen; rat, 412

Axon reflex
double labeling; axonal branching; climbing fiber; visual input; flocculus; nodulus; dorsal cap, 125

Axonal branching
climbing fiber; visual input; flocculus; nodulus; dorsal cap; axon reflex; double labeling, 125

Axotomy
EPSPs; nerve growth factor; spinal motoneurons; synapses; muscle spindles; sensory fibers, 275

B

Bell's phenomenon
corneal blink reflex; cat; neuroanatomical techniques; trigeminal nucleus; facial nucleus, 309

Bilaterally serially hemisected cats
interlimb coordination; overground locomotion, 27

Biotinylated choleragen–avidin peroxidase
ganglioside GM1; primary cell culture; myelin; 2′,3′-cyclic nucleotide 3′-phosphodiesterase, 399

Brain cortex
lipid metabolism; somatostatin, 201

Brainstem nuclei
afferent connections; cerebellar nuclei; horseradish peroxidase; cat, 321

α-Bungarotoxin
nicotine; acetylcholine receptor; central nervous system; fetal development; fetal brain, 387

α-Bungarotoxin binding
amygdala; estradiol; aggregation culture; sexual differentiation, 211

C

Ca current
inactivation; snail neuron; internal perfusion, 181

Cat
corneal blink reflex; Bell's phenomenon; neuroanatomical techniques; trigeminal nucleus; facial nucleus, 309

brainstem nuclei; afferent connections; cerebellar nuclei; horseradish peroxidase, 321

pupil; pupillary constriction; lateral suprasylvian area; PMLS; extrastriate cortex, 472

Cat visual cortex
neuronal plasticity; activation of locus coeruleus, 365

Caudate nucleus
claustrum; insular cortex; amygdala; primates, 239

Central nervous system
nicotine; α-bungarotoxin; acetylcholine receptor; central nervous system; fetal development; fetal brain, 387

Cerebellar nuclei
brainstem nuclei; afferent connections; horseradish peroxidase; cat, 321

Cerebellum
interpositus nucleus; dentate nucleus; pyramidal tract neuron; motor cortex; thalamus, 133

interpositus nucleus; dentate nucleus; ventrolateral nucleus of the thalamus; thalamocortical neuron; motor cortex; thalamus, 157

Purkinje cells; mechanical taps; locomotion; interlimb coordination, 393

vestibulo-ocular reflex; flocculus; horizontal canal; medial rectus muscle; rabbit, 434

Cerebrorubral synapse
gangliosides; promotion of sprouting; red nucleus, plasticity, 407

Claustrum
insular cortex; amygdala; primates; caudate nucleus, 239

Climbing fiber
visual input; flocculus; nodulus; dorsal cap; axon reflex; double labeling; axonal branching, 125

Connectional patterns
superior colliculus; HRP-WGA; rat, 335

Cored vesicle
ventral horn; α-motoneuron; synapse, 77

Corneal blink reflex
Bell's phenomenon; cat; neuroanatomical techniques; trigeminal nucleus; facial nucleus, 309

2′,3′-Cyclic nucleotide 3′-phosphodiesterase
ganglioside GM1; biotinylated choleragen–avidin peroxidase; primary cell culture; myelin, 399

D

Dentate nucleus
pyramidal tract neuron; motor cortex; thalamus; cerebellum; interpositus nucleus, 133

ventrolateral nucleus of the thalamus; thalamocortical neuron; motor cortex; thalamus; cerebellum; interpositus nucleus, 157

Direction selectivity
optokinetic response; visual receptive field; nucleus of the optic tract; nucleus reticularis tegmenti pontis; velocity sensitivity, 1

Dopamine
iontophoresis; monkey prefrontal cortex; laminar distribution; acetylcholine; noradrenaline, 255

Dorsal cap
axon reflex; double labeling; axonal branching; climbing fiber; visual input; flocculus; nodulus, 125

Double labeling
axonal branching; climbing fiber; visual input; flocculus; nodulus; dorsal cap; axon reflex, 125

Drug-induced tremor
tremorine; oxotremorine; harmaline; power spectral analysis, 63

E

EPSPs
nerve growth factor; spinal motoneurons; synapses; muscle spindles; sensory fibers; axotomy, 275

Estradiol
aggregation culture; sexual differentiation; α-bungarotoxin binding; amygdala, 211

Estrogen
aging; arcuate nucleus; hypothalamic deafferentation; synaptic plasticity; rat, 412

Extrastriate cortex
pupil; pupillary constriction; lateral suprasylvian area; PMLS; cat, 472

F

Facial nucleus
corneal blink reflex; Bell's phenomenon; cat; neuroanatomical techniques; trigeminal nucleus, 309

Fast axonal transport
intra-axonal diffusion; membrane protein; leucine; local cooling; *Aplysia*, 281

Fetal brain
nicotine; α-bungarotoxin; acetylcholine receptor; central nervous system; fetal development, 387

Fetal development
nicotine; α-bungarotoxin; acetylcholine receptor; central nervous system; fetal brain, 387

Field potential
tongue nerve; macaque monkey; frontal operculum; gustatory cortex, 447

Flocculus
nodulus; dorsal cap; axon reflex; double labeling; axonal branching; climbing fiber; visual input, 125

vestibulo-ocular reflex; cerebellum; horizontal canal; medial rectus muscle; rabbit, 434

Free amino acid
post-mortem brain; Alzheimer's disease; senile dementia, 486

Frontal operculum
tongue nerve; macaque monkey; gustatory cortex; field potential, 447

G

Ganglioside GM1
biotinylated choleragen–avidin peroxidase; primary cell culture; myelin; 2′,3′-cyclic nucleotide 3′-phosphodiesterase, 399

Gangliosides
promotion of sprouting; cerebrorubral synapse; red nucleus; plasticity, 407

Glutamate receptor
spider toxin JSTX; receptor blocker; squid giant synapse; kainic acid, 297

Gustatory cortex
tongue nerve; macaque monkey; frontal operculum; field potential, 447

H

Harmaline
power spectral analysis; drug-induced tremor; tremorine; oxotremorine, 63

Horizontal canal
vestibulo-ocular reflex; cerebellum; flocculus; medial rectus muscle; rabbit, 434

Horseradish peroxidase
hypothalamus; amygdala; topographic organization, 221

brainstem nuclei; afferent connections; cerebellar nuclei; cat, 321

HRP-WGA
superior colliculus; connectional patterns; rat, 335

Hypothalamic deafferentation
aging; arcuate nucleus; synaptic plasticity; estrogen; rat, 412

Hypothalamus
topographic organization; horseradish peroxidase; amygdala, 221

I

Inactivation
snail neuron; internal perfusion; Ca current, 181

Insular cortex
amygdala; primates; caudate nucleus; claustrum, 239

Interlimb coordination
overground locomotion; bilaterally serially hemisected cats, 27

Purkinje cells; mechanical taps; locomotion; cerebellum, 393

Internal perfusion
Ca current; inactivation; snail neuron, 181

Interpositus nucleus
dentate nucleus; pyramidal tract neuron; motor cortex; thalamus; cerebellum, 133

dentate nucleus; ventrolateral nucleus of the thalamus; thalamocortical neuron; motor cortex; thalamus; cerebellum, 157

Interstitial nucleus of Cajal
reversible lesion; vestibular horizontal canal neurons; interstitial vestibular interaction, 287

Interstitial vestibular interaction
interstitial nucleus of Cajal; reversible lesion; vestibular horizontal canal neurons, 287

Intra-axonal diffusion
membrane protein; leucine; local cooling; *Aplysia*; fast axonal transport, 281

Intracellular calcium
serotonin receptors; rat brain mRNA; *Xenopus* oocytes, 491

Iontophoresis
monkey prefrontal cortex; laminar distribution; acetylcholine; noradrenaline; dopamine, 255

K

Knife cuts
angiotensin-converting enzyme; prolyl endopeptidase; aminopeptidase; striatonigral pathway, 421

L

Laminar distribution
acetylcholine; noradrenaline; dopamine; iontophoresis; monkey prefrontal cortex, 255

Latency prolongation
raphe magnus; rostroventral medulla; repetitive antidromic activation; subnucleus oralis of the trigeminal spinal nucleus, 205

Lateral suprasylvian area
pupil; pupillary constriction; PMLS; extrastriate cortex; cat, 472

Laterodorsal thalamic nucleus
lateroposterior thalamic nucleus; substantia grisea centralis; WGA-HRP; albino rat, 189

Lateroposterior thalamic nucleus
substantia grisea centralis; WGA-HRP; albino rat; laterodorsal thalamic nucleus, 189

Leucine
local cooling; *Aplysia*; fast axonal transport; intra-axonal diffusion; membrane protein, 281

Leukotrienes
THR; shock; anaphylaxis, 121

Lipid metabolism
somatostatin; brain cortex, 201

Local cooling
Aplysia; fast axonal transport; intra-axonal diffusion; membrane protein; leucine, 281

Locomotion
Purkinje cells; mechanical taps; cerebellum; interlimb coordination, 393

M

Macaque monkey
tongue nerve; frontal operculum; gustatory cortex; field potential, 447

Mechanical taps
Purkinje cells; locomotion; cerebellum; interlimb coordination, 393

Medial rectus muscle
vestibulo-ocular reflex; cerebellum; flocculus; horizontal canal; rabbit, 434

Membrane protein
leucine; local cooling; *Aplysia*; fast axonal transport; intra-axonal diffusion, 281

Monkey prefrontal cortex
laminar distribution; acetylcholine; noradrenaline; dopamine; iontophoresis, 255

α-Motoneuron
synapse; cored vesicle; central horn, 77

Motor cortex
thalamus; cerebellum; interpositus nucleus; dentate nucleus; pyramidal tract neuron, 133

thalamus; cerebellum; interpositus nucleus; dentate nucleus; ventrolateral nucleus of the thalamus; thalamocortical neuron, 157

Muscle spindles
sensory fibers; axotomy; EPSPs; nerve growth factor; spinal motoneurons; synapses, 275

Myelin
ganglioside GM1; biotinylated choleragen–avidin peroxidase; primary cell culture; 2′,3′-cyclic nucleotide 3′-phosphodiesterase, 399

N

Nerve growth factor
spinal motoneurons; synapses; muscle spindles; sensory fibers; axotomy; EPSPs, 275

tissue culture; serum-free culture; sympathetic ganglion; aged human neurons; neurite growth, 460

Neurite growth
tissue culture; serum-free culture; sympathetic ganglion; aged human neurons; nerve growth factor, 460

Neuroanatomical techniques
corneal blink reflex; Bell's phenomenon; cat; trigeminal nucleus; facial nucleus, 309

Neurokinin α
neurokinin β; substance P; tachykinin; smooth muscle, 97

neurokinin β; tachykinin; substance P; spinal cord, 105

neurokinin β; substance P, 111

Neurokinin β
neurokinin α; substance P; tachykinin; smooth muscle, 97

neurokinin α; tachykinin; substance P; spinal cord, 105

neurokinin α; substance P, 111

Neuronal plasticity
cat visual cortex; activation of locus coeruleus, 365

Neurosecretory cell
nociceptor; noxious heat stimulation; rat; supraoptic nucleus; tail pinching; vasopressin, 49

Nicotine
α-bungarotoxin; acetylcholine receptor; central nervous system; fetal development; fetal brain, 387

Nociceptor
neurosecretory cell; noxious heat stimulation; rat; supraoptic nucleus; tail pinching; vasopressin, 49

Nodulus
dorsal cap; axon reflex; double labeling; axonal branching; climbing fiber; visual input; flocculus, 125

Noradrenaline
dopamine; iontophoresis; monkey prefrontal cortex; laminar distribution; acetylcholine,255

Noxious heat stimulation
neurosecretory cell; nociceptor; rat; supraoptic nucleus; tail pinching; vasopressin, 49

Nucleus of the optic tract
nucleus reticularis tegmenti pontis; velocity sensitivity; direction selectivity; optokinetic response; visual receptive field, 1

Nucleus reticularis tegmenti pontis
velocity sensitivity; direction selectivity; optokinetic response; visual receptive field; nucleus of the optic tract, 1

O

Optokinetic response
visual receptive field; nucleus of the optic tract; nucleus reticularis tegmenti pontis; velocity sensitivity; direction selectivity, 1

Overground locomotion
bilaterally serially hemisected cats; interlimb coordination, 27

Oxotremorine
harmaline; power spectral analysis; drug-induced tremor; tremorine, 63

P

Parallel-parallel activation
ROS; rhodopsin; transmitter; serial activation; serial-parallel activation, 349

Plasticity
gangliosides; promotion of sprouting; cerebrorubral synapse; red nucleus, 407

PMLS
pupil; pupillary constriction; lateral suprasylvian area; extrastriate cortex; cat, 472

Post-mortem brain
free amino acid; Alzheimer's disease; senile dementia, 486

Power spectral analysis
drug-induced tremor; tremorine; oxotremorine; harmaline, 63

Primary cell culture
ganglioside GM1; biotinylated choleragen–avidin peroxidase; myelin; 2′,3′-cyclic nucleotide 3′-phosphodiesterase, 399

Primates
caudate nucleus; claustrum; insular cortex; amygdala, 239

Prolyl endopeptidase
angiotensin-converting enzyme; aminopeptidase; striatonigral pathway; knife cuts, 421

Promotion of sprouting
gangliosides; cerebrorubral synapse; red nucleus; plasticity, 407

Pupil
pupillary constriction; lateral suprasylvian area; PMLS; extrastriate cortex; cat, 472

Pupillary constriction
pupil; lateral suprasylvian area; PMLS; extrastriate cortex; cat, 472

Purkinje cells
mechanical taps; locomotion; cerebellum; interlimb coordination, 393

Pyramidal tract neuron
motor cortex; thalamus; cerebellum; interpositus nucleus; dentate nucleus, 133

R

Rabbit
vestibulo-ocular reflex; cerebellum; flocculus; horizontal canal; medial rectus muscle, 434

Raphe magnus
rostroventral medulla; repetitive antidromic activation; subnucleus oralis of the trigeminal spinal nucleus; latency prolongation, 205

Rat
neurosecretory cell; nociceptor; noxious heat stimulation; supraoptic nucleus; tail pinching; vasopressin, 49
superior colliculus; connectional patterns; HRP-WGA, 335

aging; arcuate nucleus; hypothalamic deafferentation; synaptic plasticity; estrogen, 412

Rat brain mRNA
serotonin receptors; intracellular calcium; *Xenopus* oocytes, 491

Receptor blocker
spider toxin JSTX; glutamate receptor; squid giant synapse; kainic acid, 297

Red nucleus
gangliosides; promotion of sprouting; cerebrorubral synapse; plasticity, 407

Repetitive antidromic activation
subnucleus oralis of the trigeminal spinal nucleus; latency prolongation; raphe magnus; rostroventral medulla, 205

Reversible lesion
vestibular horizontal canal neurons; interstitial vestibular interaction; interstitial nucleus of Cajal, 287

Rhodopsin
ROS; transmitter; serial activation; serial-parallel activation; parallel-parallel activation, 349

ROS
rhodopsin; transmitter; serial activation; serial-parallel activation; parallel-parallel activation, 349

Rostroventral medulla
repetitive antidromic activation; subnucleus oralis of the trigeminal spinal nucleus; latency prolongation; raphe magnus, 205

S

Senile dementia
free amino acid; post-mortem brain; Alzheimer's disease, 486

Sensory fibers
axotomy; EPSPs; nerve growth factor; spinal motoneurons; synapses; muscle spindles, 275

Serial activation
ROS; transmitter; serial-parallel activation; parallel-parallel activation, 349

Serial-parallel activation
ROS; rhodopsin; transmitter; serial activation; parallel-parallel activation, 349

Serotonin receptors
intracellular calcium; rat brain mRNA; *Xenopus* oocytes, 491

Serum-free culture
tissue culture; sympathetic ganglion; aged human neurons; nerve growth factor; neurite growth, 460

Sexual differentiation
α-bungarotoxin binding; amygdala; estradiol; aggregation culture, 211

Shock
anaphylaxis; leukotrienes; TRH, 121

Smooth muscle
neurokinin α; neurokinin β; substance P; tachykinin, 97

Snail neuron
internal perfusion; Ca current; inactivation, 181

Somatostatin
brain cortex; lipid metabolism, 201

Spider toxin JSTX
glutamate receptor; receptor blocker; squid giant synapse; kainic acid, 297

Spinal cord
neurokinin α; neurokinin β; tachykinin; substance P, 105

Spinal motoneurons
synapses; muscle spindles; sensory fibers; axotomy; EPSPs; nerve growth factor, 275

Squid giant synapse
spider toxin JSTX; glutamate receptor; receptor blocker; kainic acid, 297

Striatonigral pathway
angiotensin-converting enzyme; prolyl endopeptidase; aminopeptidase; knife cuts, 421

Subnucleus oralis of the trigeminal spinal nucleus
latency prolongation; raphe magnus; rostroventral medulla; repetitive antidromic activation, 205

Substance P
tachykinin; smooth muscle; neurokinin α; neurokinin β, 97

neurokinin α; neurokinin β; tachykinin; spinal cord, 105
neurokinin α; neurokinin β, 111

Substantia grisea centralis
WGA-HRP; albino rat; laterodorsal thalamic nucleus; lateroposterior thalamic nucleus, 189

Superior colliculus
connectional patterns; HRP-WGA; rat, 335

Supraoptic nucleus
neurosecretory cell; nociceptor; noxious heat stimulation; rat; tail pinching; vasopressin, 49

Sympathetic ganglion
tissue culture; serum-free culture; aged human neurons; nerve growth factor; neurite growth, 460

Synapse
cored vesicle; ventral horn; α-motoneuron, 77

muscle spindles; sensory fibers; axotomy; EPSPs; nerve growth factor; spinal motoneurons, 275

Synaptic plasticity
aging; arcuate nucleus; hypothalamic deafferentation; estrogen; rat, 412

T

Tachykinin
smooth muscle; neurokinin α; neurokinin β; substance P, 97

neurokinin α; neurokinin β; substance P; spinal cord, 105

Tail pinching
neurosecretory cell; nociceptor; noxious heat stimulation; rat; supraoptic nucleus; vasopressin, 49

Thalamocortical neuron
motor cortex; thalamus; cerebellum; interpositus nucleus; dentate nucleus; ventrolateral nucleus of the thalamus, 157

Thalamus
cerebellum; interpositus nucleus; dentate nucleus; pyramidal tract neuron; motor cortex, 133

cerebellum; interpositus nucleus; dentate nucleus; ventrolateral nucleus of the thalamus; thalamocortical neuron; motor cortex, 157

Tissue culture
serum-free culture; sympathetic ganglion; aged human neurons; nerve growth factor; neurite growth, 460

Tongue nerve
macaque monkey; frontal operculum; gustatory cortex; field potential, 447

Topographic organization
horseradish peroxidase; amygdala; hypothalamus, 221

Transmitter
ROS; rhodopsin; serial activation; serial-parallel activation; parallel-parallel activation, 349

Tremorine
oxotremorine; harmaline; power spectral analysis; drug-induced tremor, 63

TRH
shock; anaphylaxis; leukotrienes, 121

Trigeminal nucleus
corneal blink reflex; Bell's phenomenon; cat; neuroanatomical techniques; facial nucleus, 309

V

Vasopressin
neurosecretory cell; nociceptor; noxious heat stimulation; rat; supraoptic nucleus; tail pinching, 49

Velocity sensitivity
direction selectivity; optokinetic response; visual receptive field; nucleus of the optic tract; nucleus reticularis tegmenti pontis, 1

Ventral horn
α-motoneuron; synapse; cored vesicle, 77

Ventrolateral nucleus of the thalamus
thalamocortical neuron; motor cortex; thalamus; cerebellum; interpositus nucleus; dentate nucleus, 157

Vestibular horizontal canal neurons
interstitial vestibular interaction; interstitial nucleus of Cajal; reversible lesion, 287

Vestibulo-ocular reflex
cerebellum; flocculus; horizontal canal; medial rectus muscle; rabbit, 434

Visual input
flocculus; nodulus; dorsal cap; axon reflex; double labeling; axonal branching; climbing fiber, 125

Visual receptive field
nucleus of the optic tract; nucleus reticularis tegmenti pontis; velocity sensitivity; direction selectivity; optokinetic response, 1

W

WGA-HRP
albino rat; laterodorsal thalamic nucleus; lateroposterior thalamic nucleus; substantia grisea centralis, 189

X

***Xenopus* oocytes**
serotonin receptors, intracellular calcium; rat brain mRNA, 491

(Contents continued from back cover)

Short Communications

Free amino acids in post-mortem cerebral cortices from patients with Alzheimer-type dementia (NSR 00087)
H. Arai, K. Kobayashi, Y. Ichimiya, K. Kosaka and R. Iizuka (Tokyo, Japan) . . 486

Intracellular Ca^{2+}-dependent and Ca^{2+}-independent responses of rat brain serotonin receptors transplanted to *Xenopus* oocytes (NSR 00090)
I. Parker, C.B. Gundersen and R. Miledi (London, U.K.) 491

Author Index 497

Key Word Index 500